

DESCRIPTION

| | | | |
|------------------------------|--------------|--------|-----------------|
| Total thickness | EN 428 | mm | 6.00 |
| | ASTM F386-02 | inch | 0.24 |
| Thickness of wearlayer | EN 429 | mm | 0.70 |
| | ASTM F410-02 | inch | 0.03 |
| Weight | EN 430 | g/sq.m | 9895 |
| Tile size | EN 427 | mm | |
| Plank size | EN 427 | mm | 176 x 1000 |
| | ASTM F 536 | inch | 6.929" x 39.37" |
| Number of tiles per package | - | - | |
| Number of planks per package | - | - | 8 |
| Coverage / box | | sq.m | 1.4 |
| | - | sq.ft. | 17.2 |






CLASSIFICATION

| | | | |
|-----------------------------------------|-----------------|-------|---------------------|
| Norm / Product specification | - | - | EN 649 |
| | ASTM F 1700- 04 | - | Class III Type B |
| European classification | EN 685 | class | 34 - 43 |
| Fire rating | EN 13 501-1 | class | B _{fl} -s1 |
| Fire rating | ASTM E648-08 | class | Class 1 |
| | CAN/ULC S102.2 | - | - |
| Static electrical propensity | EN 1815 | kV | < 2 |
| Slip resistance wet: ramp test with oil | DIN 51 130 | class | R9 |

PERFORMANCE

| | | | |
|------------------------------|-----------------|--------------------|--------|
| Wear resistance | EN 660.2 | mm ³ | ≤ 2 |
| Wear group | EN 649 | - | T |
| Type Binder content | ISO 10582 | type | I |
| Dimensional stability | EN 434 | % | ≤ 0.15 |
| Residual indentation | EN 433 | mm | ≤ 0.10 |
| Impact sound insulation | EN ISO 717-2 | dB | 5 |
| Room impact | NF S 31074 | dB | 72 |
| Castor chair test (type W) | EN 425 | - | OK |
| Thermal conductivity | EN 12524 | W/(m.K) | 0.25 |
| Colour fastness | EN 20 105 - B02 | degree | ≥ 6 |
| Chemical products resistance | EN 423 | - | OK |
| Surface treatment | - | - | PUR+ |
| TVOC after 28 days | ISO 16000-6 | µg/ m ³ | < 100 |

CE MARKING

| | | | |
|------------------------------------------------------------------------------------|----------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | EN 14041 | - |    |
| | | - |  |