

**DEBUT PAGE SUIVANTE**  
*BEGINNING WITH THE FOLLOWING PAGE*

**merci d'utiliser les feuilles de styles**  
*please use the style sheets*

# SPECIFICATIONS, INTALLATION & MAINTENANCE





**GERFLOR  
SPECIFICATIONS**  
334 - 341

**SPM  
SPECIFICATIONS**  
342 - 351

**INSTALLATION &  
MAINTENANCE**  
352 - 357

# GERFLOR SPECIFICATION

## HEALTHCARE - HOSPITAL - CLINIC - RETIREMENT HOME

	HOMOGENEOUS FLOORINGS				MULTILAYERED FLOORINGS				
	Homogeneous Flooring (Evercare™)	Homogeneous Flooring (PUR Protect®)	Homogeneous Flooring (PUR+)	Homogeneous Flooring (PUR)	Nera Contract	Taralay Initial Comfort	Taralay Impression Comfort Taralay Uni Comfort	Taralay Premium Comfort	Taralay Impression Compact
	p 18-22 26-32	p 24-28	p 33	p 34-38 39	p 94-103	p 82-89	p 60-80	p 44-57	p 60-80
<b>HEALTHCARE - HOSPITAL - CLINIC</b>									
Reception	•	•							
Corridors	•	•						•	
Waiting room	•	•					•	•	•
Bedroom	•	•					•	•	•
Bathroom - Toilets									
Carer room - Medical - Sick bay	•	•					•	•	•
Rehabilitation room							•	•	
Surgery	•	•					•	•	•
Theatre block	•	•						•	
Intensive care unit	•	•						•	
Radiotherapy - Laboratory	•	•							
Laundry - Store room									
Stairs									
<b>RETIREMENT HOME</b>									
Reception	•	•			•				
Corridors	•	•			•			•	
Bedroom	•	•			•		•	•	
Bathroom - Toilets									
Living room							•	•	
Laundry - Store room									
<b>OFFICE - ADMINISTRATION</b>									
Reception	•	•							
Office							•	•	
Bathroom - Toilets									
Meeting room - Board room							•	•	
Computer room									
Stairs									

- GERFLOR's recommendation
- Other possible solution



# GERFLOR SPECIFICATION

## EDUCATION - INDUSTRY - HOTEL - RESTAURANT


	HOMOGENEOUS FLOORINGS				MULTILAYERED FLOORINGS					
	Homogeneous Flooring (Evercare™)	Homogeneous Flooring (PUR Protect®)	Homogeneous Flooring (PUR+)	Homogeneous Flooring (PUR)	Nera Contract	Taralay Initial Comfort	Taralay Impression Comfort Taralay Uni Comfort	Taralay Premium Comfort	Taralay Impression Compact	Taralay Premium Compact
	p 18-22 26-32	p 24-28	p 33	p 34-38 39	p 94-103	p 82-89	p 60-80	p 44-57	p 60-80	p 44-57
<b>EDUCATION</b>										
Reception	•	•								•
Corridors	•	•						•		•
Classroom	•	•				•	•	•		
Dormitory room						•	•			
Changing room		•	•							
Bathroom - Toilets										
Meeting - Library						•	•	•		
Computer room						•	•	•		
Laboratory	•	•							•	•
Student's residence						•	•			
Student's refectory	•	•					•	•		
Multipurpose room - Hall	•	•					•	•		
Stairs										
<b>INDUSTRY</b>										
Clean room / Laboratory	•	•								•
Changing room	•	•								•
Computer room										
Production	•	•								•
Stocking and Packaging areas										
Stairs										
<b>HOTEL - RESTAURANT</b>										
Reception									•	
Bedroom					•	•				
Bathroom - Toilets										
Restaurant - Bar									•	
Conference - Exhibition	•	•							•	•
Cinema - Show - Theatre							•	•		
Stairs										

- GERFLOR's recommendation
- Other possible solution



# GERFLOR SPECIFICATION











## RETAIL - HOUSING - KITCHEN



	HOMOGENEOUS FLOORINGS				MULTILAYERED FLOORINGS				
	Homogeneous Flooring (Evercare™)	Homogeneous Flooring (PUR Protect®)	Homogeneous Flooring (PUR+)	Homogeneous Flooring (PUR)	Nera Contract	Taralay Initial Comfort	Taralay Impression Comfort Taralay Uni Comfort	Taralay Premium Comfort	Taralay Impression Compact
	p 18-22 26-32	p 24-28	p 33	p 34-38 39	p 94-103	p 82-89	p 60-80	p 44-57	p 60-80
<b>RETAIL</b>									
Shop	•	•							
Department store									
Supermarket									
Cafeterias							•	•	
Stocking areas									
Stairs									
<b>HOUSING</b>									
Dry Private room						•			
Damp Private room						•			
Reception area - Corridor - Landing			•			•			
Other private home									
<b>KITCHEN</b>									
Collective kitchens									
Food preparation areas - Canteen									

- GERFLOR's recommendation
- Other possible solution

# RETAIL - HOUSING - KITCHEN

		FAST TRACK LOOSELAY TILES				LUXURY VINYL TILES		TECHNICAL SOLUTIONS			SAFETY FLOORING				
		 Comfort	 Compact	 Comfort	 Compact	 Compact	 Compact	 Compact	 Compact			 Comfort	 Compact		
Taralay Premium Compact	Tarastep	GTI	Attraction®	Saga²	Creation Clic System	Creation / Insight	Artline	Shower system	Wall covering	Static Control flooring	Tarasafe Ultra Comfort	Tarasafe Ultra / Geo / Uni / Style	Tarasafe Element / Standard	Tarasafe Plus	
p 44-57	p 90-93	p 146-151	p 142-145	p 152-157	p 136-141	p 111-131	p 111-121	p 178-181	p 182-183	p 162-167	p 172-173	p 170-175	p 176-177	p 177	
•			•		•	•									
•			•		•	•									
•		•	•			•									
•					•	•									
		•													
	•														
							•								
							•	•			•	•	•		
											•	•			
							•	•							
									•					•	
									•					•	








# GERFLOR SPECIFICATION

## TARAFLEX™ SPORTS FLOORING

	HOMOGENEOUS FLOORINGS				MULTILAYERED FLOORINGS							GTI
	Homogeneous Flooring (Evercare™)	Homogeneous Flooring (PUR Protect®)	Homogeneous Flooring (PUR+)	Homogeneous Flooring (PUR)	Nera Contract	Taralay Initial Comfort	Taralay Impression Comfort Taralay Uni Comfort	Taralay Premium Comfort	Taralay Impression Compact	Taralay Premium Compact	Tarastep	
	p 18-22 26-32	p 24-28	p 33	p 34-38 39	p 94-103	p 82-89	p 60-80	p 44-57	p 60-80	p 44-57	p 90-93	p 146-151
<b>HEAVY TRAFFIC AREAS</b>												
Reception, Corridors	•	•							•	•		•
Stairs											•	
<b>SPORT AREAS</b>												
Gymnasium												
Fitness												
Weights rooms												
Multipurpose room - hall												
Play room												
<b>PUBLIC AREAS</b>												
Cafeteria, bar							•	•				
<b>ADMINISTRATION</b>												
Offices												
Changing room												
Storage												•
<b>WET ROOMS</b>												
Showers												
Changing room		•	•									
Toilets												

- GERFLOR's recommendation
- Other possible solution

# TARAFLEX™ SPORTS FLOORING

FAST TRACK LOOSELAY TILES			LUXURY VINYL TILES		TECHNICAL SOLUTIONS			TARAFLEX™ SPORTS FLOORING						
														
Attraction®	Saga²	Creation Clic System	Creation / Insight	Artline	Shower system	Wall covering	Safety flooring	Taraflex™ Sport M Comfort	Taraflex™ Sport M Performance	Taraflex™ Sport M Evolution	Taraflex™ Multi-Use 6.2	Taraflex™ Multi-Use 5.0	Taraflex™ Multi-Use 3.0	Taraflex™ Surface
p 142-145	p 152-157	p 136-141	p 111-131	p 111-121	p 178-181	p 182-183	p 168-177	p 193	p 193	p 193	p 194	p 196	p 197	p 196
•														
								•	•	•	•	•	•	
									•	•	•	•	•	
											•	•	•	•
								•						
•		•	•											
	•	•	•											
•														
					•	•	•							
		•	•		•	•	•							
							•							

# SPM SPECIFICATION

## HEALTH - HOSPITAL - CLINIC



### WALL PROTECTION

	Impact / Alinea 200	Impact / Alinea 120	Impact 60	Contact 350	Contact 200	Contact 120	Decochoc	Decochoc (hot welded)	Decoclean	Bedkit	Decowood panels	Decotrend
<b>ACCOMMODATION: Public areas</b>												
Patient rooms, Common areas	*				*		*				*	*
<b>Hospital room</b> (including bathrooms) Patient bedroom	*			*			*			*	*	*
<b>Other</b>												
Examination room Patient Preparation room, nursery, staff room	*					*	*					
Patients' lounge, relaxation room	*				*		*				*	*
Services area (laundry and equipment store)	*						*					
<b>TECHNICAL MEDICAL PLATFORM: Emergencies</b>												
Public areas	*						*					
Reception, waiting room	*				*		*				*	*
Examination and treatment room	*			*			*	*			*	*
<b>Surgery or obstetric examination room</b>												
Public areas	*	*					*					
Surgery room								*	*			
Recovery room								*	*			
<b>Laboratories-Sterilisation</b>												
Laboratories	*			*			*		*			
Central sterilisation and conditioning	*			*				*	*			
<b>Day-time hospital, consultation, functional rehabilitation, central pharmacy, morgue</b>												
Waiting room and Public areas		*									*	*
Consultation and external examination room					*		*					
Laundry and clean equipment store, pharmacy store	*						*					
Physiotherapy and occupational therapy room							*					
<b>Administration, general services and facilities</b>												
Staff restaurant, cafeteria				*			*				*	*
Laundry, laundry store	*						*					
Toilets, cloakrooms							*					
Central laundry, central kitchens and annexes	*	*					*					
<b>Reception and corridors</b>												
Hall and elevator area											*	*
Stairs												

# HEALTH - HOSPITAL - CLINIC

		CORNER PROTECTORS							DOOR PROTECTION							HANDRAILS							
Decorative frescoes	Educational panels	Capcorn	Cornea	Corneaflex	Wood corners	Protecta 2, Profila	Decochoc corners	Profil'inox	Complete doors	1/2 height door plate	Foot-height door	1/2 height decorative door	Handplates	1/2 height door plate Inlayed signage	Edges and frames	Plac'inox	Performer 2	Starline with PVC sheath	Anodised Starline	Decowood Starline	Escort with PVC sheath	Decowood Escort	Anodised Escort
*		*				*				*		*				*	*	*	*	*	*	*	*
									*					*									
		*			*	*			*		*			*	*								
		*			*	*			*		*			*	*								
			*	*		*			*		*			*	*	*							
*		*			*	*			*		*			*	*		*						
*	*					*			*		*			*	*								
			*				*		*	*													
							*		*	*													
			*			*	*		*	*				*	*								
			*			*	*		*	*				*	*								
					*	*			*	*				*	*		*		*	*	*	*	*
			*	*		*			*	*				*	*						*	*	*
					*	*			*	*				*	*								
			*	*		*			*	*				*	*						*	*	*
					*	*			*	*				*	*								
					*	*			*	*				*	*						*	*	*


\* SPM recommendation

Other solutions possible

1 Other solutions possible with adapted messages

# SPM SPECIFICATION

## RETIREMENT AND CARE HOMES



WALL PROTECTION										
Impact / Alinea 200	Impact / Alinea 120	Impact 60	Contact 350	Contact 200	Contact 120	Decochoc	Decoclean	Bedkit	Decowood panels	Decotrend

TRAFFIC FLOW										
Public areas	*			*	*		*			
Elevator	*	*					*			
Elevator landing	*	*					*			
ACCOMMODATION AND ROOM SERVICE										
Patients Room	*			*	*		*		*	*
Wash room							*			
Communal lavatories							*			
PUBLIC AREAS										
Residents' dining room, entertainment rooms	*	*		*			*		*	*
Relaxation, leisure room				*			*		*	*
CONSULTATION AND TREATMENT AREAS										
Nursing station		*			*		*			
Consultation room					*		*			
Physiotherapy, occupational therapy Functional rehabilitation room							*			
TECHNICAL AREAS										
Product and equipment storage (treatments, nappies)	*						*			
Laundry room, laundry storage	*						*			
Central kitchen and annexes	*	*					*			


# RETIREMENT AND CARE HOMES

		CORNER PROTECTORS						DOOR PROTECTION						HANDRAILS								
Decorative frescoes	Educational panels	Capcorn	Cornea	Corneaflex	Wood corners	Protecta 2, Profila	Profil'inox	Complete doors	1/2 height door plate	Foot-height door	1/2 height decorative door	Handplates	1/2 height door plate Inlayed signage	Edges and frames	Plac'inox	Performer 2	Starline with PVC sheath	Anodised Starline	Decowood Starline	Escort with PVC sheath	Decowood Escort	Anodised Escort
		*	*	*	*	*			*		*		*	*		*			*		*	
		*	*	*												*			*	*		
		*			*	*			*	*	*	*		*	*							
*		*			*	*					*		*		*							
		*			*	*				*		*		*								
						*			*	*	*		*							*	*	
						*			*	*	*		*									
			*	*					*		*	*	*	*								
			*	*					*		*	*	*	*	*							

\* SPM recommendation    Other solutions possible  
 1 Other solutions possible with adapted messages

# SPM SPECIFICATION

## EDUCATION



	WALL PROTECTION										
	Impact / Alinea 200	Impact / Alinea 120	Impact 60	Contact 350	Contact 200	Contact 120	Decochoc	Decoclean	Bedkit	Decowood panels	Decotrend
<b>KINDERGARTENS AND NURSERIES</b>											
Public areas					*	*	*				
Entry hall, reception and relaxation areas					*	*	*				
Classrooms					*		*				
Stairs											
Play and exercise room				*			*				
<b>PRIMARY SCHOOLS</b>											
Public areas					*	*	*				
Entry hall, reception and relaxation areas					*	*	*				
Classrooms					*		*				
Stairs											
Play and exercise room							*				
<b>ELEMENTARY AND MIDDLE SCHOOLS</b>											
Public areas				*	*		*				
Entry hall, reception and relaxation areas					*	*	*		*	*	
Stairs											
Classrooms				*	*		*				
Physical education areas							*				
Science and computer rooms, laboratories		*		*	*		*				
<b>HIGHER EDUCATION</b>											
Public areas				*	*		*			*	*
Stairs											
Teaching rooms				*	*				*	*	
IT rooms											
Laboratories				*	*		*				
Accommodation (including student residences)					*		*				
<b>ANNEX TEACHING AREAS</b>											
Cafeterias, dining room, multi-purpose room				*	*		*			*	*
Toilets					*		*				
Kitchens and annexes	*	*					*				
Traffic flow in a technical area	*	*					*				
Nursing station, medical area					*		*				
Archives, filing rooms	*	*		*	*						

# EDUCATION

		CORNER PROTECTORS					DOOR PROTECTION					HANDRAILS									
Decorative frescoes	Educational panels	Capcorn	Cornea	Corneaflex	Wood corners	Protecta 2, Profila	Profil'inox	1/2 height door	Foot-height door	1/2 height decorative door	Handplates	1/2 height door plate Inlaid signage	Edges and frames	Plac'inox	Performer 2	Starline with PVC sheath	Anodised Starline	Decowood Starline	Escort with PVC sheath	Decowood Escort	Anodised Escort
*	*					*				*	*	*									
*	*					*			*	*	*										
	*																		*	*	
	*					*			*		*										
*	*					*			*		*										
*	*					*			*		*								*	*	
	*					*			*		*										
						*			*		*								*	*	*
						*			*		*										
						*			*		*										
						*			*		*										
						*			*		*								*	*	*
						*			*		*										
		*				*			*		*										
		*				*			*		*										
	*	*				*	*		*		*										
			*	*		*			*		*										
		*				*			*		*										
						*			*		*										
						*			*		*										

\* SPM recommendation    Other solutions possible

# SPM SPECIFICATION

## SERVICE SECTOR



### WALL PROTECTION

	Impact / Alinea 200	Impact / Alinea 120	Impact 60	Contact 350	Contact 200	Contact 120	Decochoc	Decoclean	Bedkit	Decowood panels
<b>BUSINESS PREMISES</b>										
Offices										*
Meeting rooms and waiting rooms										*
<b>ANNEXES AND TECHNICAL AREAS</b>										
Archives, filing rooms				*	*					
Toilets							*			
Company restaurant, cafeteria						*				*
Central kitchen and annexes	*	*					*			
Traffic flow in technical area	*			*	*		*			
<b>HOTEL SECTOR</b>										
<b>Accommodation</b>										
Corridors in public areas				*						*
Traffic flow in technical areas	*		*	*			*			
Entry hall, reception										*
Stairs										
Waiting and meeting rooms										*
Restaurant							*			*
Bedrooms							*			*
Toilets					*		*			
Central kitchen and annexes	*	*					*			


# SERVICE SECTOR

			CORNER PROTECTORS					DOOR PROTECTION							HANDRAILS								
Decotrend	Decorative frescoes	Educational panels	Capcorn	Cornea	Corneaflex	Wood corners	Protecta 2, Profila	Profil'inox	Complete doors	1/2 height door plate	Foot-height door	1/2 height decorative door	Handplates	1/2 height door plate Inlayed signage	Edges and frames	Plac'inox	Performer 2	Starline with PVC sheath	Anodised Starline	Decowood Starline	Escort with PVC sheath	Decowood Escort	Anodised Escort
*																							
*							*			*													
			*				*		*	*	*	*	*	*									
							*			*	*	*	*	*									
*			*				*		*	*	*	*	*	*									
			*	*	*			*	*	*	*	*	*	*	*								
*							*			*	*	*	*	*	*								
			*	*	*				*	*	*	*	*	*	*								
*							*				*	*	*	*	*						*	*	*
*							*			*	*	*	*	*	*								
*							*			*	*	*	*	*	*								
*							*		*	*	*	*	*	*	*								
*							*		*	*	*	*	*	*	*								
*							*		*	*	*	*	*	*	*								

\* SPM recommendation    Other solutions possible

# SPM SPECIFICATION

## INDUSTRY - SPORT



	WALL PROTECTION									
	Impact / Alinea 200	Impact / Alinea 120	Impact 60	Contact 350	Contact 200	Contact 120	Decochoc	Decoclean	Bedkit	Decowood panels
<b>LIFE SCIENCES</b>										
Laboratory, clean rooms, airlocks							*	*		
Storage, laundry	*						*			
<b>HEAVY INDUSTRIAL TRAFFIC (for areas with non-motorised trucks)</b>										
Corridors	*			*	*		*			
Conditioning							*			
Production							*			
Storage	*			*	*		*			

	WALL PROTECTION									
	Impact / Alinea 200	Impact / Alinea 120	Impact 60	Contact 350	Contact 200	Contact 120	Decochoc	Decoclean	Bedkit	Decowood panels
<b>HEAVY TRAFFIC AREAS</b>										
Traffic flow				*	*		*			*
Stairs										
<b>SPORTS AREAS</b>										
Gymnasium							*			
Fitness and weights room							*			
<b>PUBLIC AREAS</b>										
Cafeteria, bar					*	*	*			*
<b>ADMINISTRATION / ADMINISTRATIVE OFFICES</b>										
Cloakrooms							*			
<b>WET ROOMS</b>										
Showers / Toilets					*		*			

# INDUSTRY - SPORT

			CORNER PROTECTORS					DOOR PROTECTION						HANDRAILS									
Decotrend	Decorative frescoes	Educational panels	Capcorn	Cornea	Corneaflex	Wood corners	Protecta 2, Profila	Profil'inox	Complete doors	1/2 height door	Foot-height door	1/2 height decorative door	Handplates	1/2 height door plate Inlayed signage	Edges and frames	Plac'inox	Performer 2	Starline with PVC sheath	Anodised Starline	Decowood Starline	Escort with PVC sheath	Decowood Escort	Anodised Escort
				*	*			*	*					*	*								
				*	*			*	*				*	*									
				*	*			*	*				*	*									
				*	*			*	*				*	*									
				*	*			*	*				*	*									

			CORNER PROTECTORS					DOOR PROTECTION						HANDRAILS									
Decotrend	Decorative frescoes	Educational panels	Capcorn	Cornea	Corneaflex	Wood corners	Protecta 2, Profila	Profil'inox	Complete doors	1/2 height door	Foot-height door	1/2 height decorative door	Handplates	1/2 height door plate Inlayed signage	Edges and frames	Plac'inox	Performer 2	Starline with PVC sheath	Anodised Starline	Decowood Starline	Escort with PVC sheath	Decowood Escort	Anodised Escort
			*				*			*	*	*	*	*							*	*	*
*	*	*	*				*			*	*	*	*	*									
*										*		*											
	*	*					*			*	*	*	*	*	*								
							*		*	*	*	*	*	*	*								

\* SPM recommendation ■ Other solutions possible

# INSTALLATION & MAINTENANCE

## ▶ INSTALLATION PROCEDURES

Please refer to our laying techniques on [www.gerflor.com](http://www.gerflor.com)

## ▶ MAINTENANCE

### Surface treatments:

## Protecsol®


### The original no-polish-for-life solution.

This unique UV-cured polyurethane surface treatment protects the floorcovering and eliminates the need for costly emulsion dressings throughout the life of the product.


Developed exclusively by Gerflor back in 1987, Protecsol® is a permanent, factory applied treatment which has been proven independently to reduce both the time and costs required to protect standard, resilient floorcoverings.

Gerflor is an innovative manufacturer and continuously strives through heavy investment in R&D to meet and exceed its customers expectations both in terms of product quality and in low environmental impact.

Our plants are constantly being upgraded and improved with the latest round of investments for Protecsol® concluding in 2006.



### Low environmental impact





## SparClean®

### New generation of surface treatment for Tarasafe safety flooring.

SparClean® is a powder coated treatment that when heated forms a totally smooth surface between the mineral crystal particles, eliminating dirt traps and setting new standards for cleanliness and hygiene.

The unique method of manufacture ensures that the slip resistance of the Tarasafe safety flooring is not impaired in any way, yet provides a safety floor that is easy to clean.

SparClean® is a permanent surface treatment that gives extreme resistance to soiling and staining, offers excellent resistance to chemicals and ensures long term product durability.





An exclusive Gerflor patented coating with resistance and performance obtained by UV laser cross-linking.

## PUR Protect®

### Surface treatment for high quality homogeneous flooring.

PUR Protect® is a unique UV-cured polyurethane surface treatment offering a permanent “no polish” solution for high quality homogeneous flooring. PUR Protect® flooring benefits from an excellent resistance to chemicals and alcohol making the products ideal for healthcare and cleanroom use, for example, in the chemical, pharmaceutical and cosmetic industries.

PUR Protect® floorings are very low maintenance products with excellent cleaning characteristics.



### Polyurethane surface treatment.

This PUR treatment eases maintenance and avoids the application of acrylic emulsion/polishes after installation.

The application of emulsion should be determined by the maintenance staff in response to the hygiene and aesthetics demands of the installation.

## PUR

### Protective PU factory seal.

This factory applied initial coating is an installation protection and a good foundation for routine maintenance.

Acrylic emulsion / polishes required after installation.

## Sanosol®

### Fungistatic and bacteriostatic treatment.

This treatment is applied to the foam backings of many Gerflor multilayered products to inhibit the growth of microorganisms between the subfloor and the floorcovering itself.

Similar hygienic performances are achieved by the smooth homogeneous ranges due to the special compaction processes involved in manufacture.



# MAINTENANCE

**Gerflor floorings, in common with all heavy duty floorings, require correct and regular maintenance. Whatever the manufacturing finish, satisfactory results can only be obtained by following certain basic maintenance rules.**

## **Rubber leaves indelible stains on vinyl floorings:**

- ▶ Do not use mats with rubber backing
- ▶ Replace tubular furniture feet with those made of Vinyl or polyamide (do not use rubber furniture feet and wheels). Never use solvent-based wax, seals, polishes or varnish, particularly those containing acetone and other Vinyl solvents. Place a barrier mat (which does not have a rubber backing) in doorways and entrances. Delay maintenance until 72 hours installation for rolls and an entire week after installation for tiles.

## **Six types of maintenance are recommended according to the floorcovering installed:**

- Very low maintenance = floorings with PROTECSOL® treatment.
- Very low maintenance for high quality homogeneous flooring = PUR Protect®.
- Low maintenance = floorings with polyurethane (PUR) treatment.
- Normal maintenance for homogeneous flooring = PU treatment.
- Normal maintenance = non treated floorings.
- Specific maintenance = antistatic and conductive floorings.

## ▶ **VERY LOW MAINTENANCE PRODUCTS**

### **With PROTECSOL® treatment:**

Taralay Impression, Taralay Premium, Taralay Initial, Saga<sup>2</sup>.

### **With Evercare™ treatment:**

Mipolam Symbioz, Mipolam Esprit, Mipolam Accord, Mipolam Cosmo.

### **With PUR Protect® treatment:**

Mipolam Flair, Mipolam Elegance.

### **With SparClean® treatment:**

Tarasafe Style, Tarasafe Ultra, Tarasafe Uni, Tarasafe Ultra Comfort.

It is not necessary to seal the floor during its lifetime, the maintenance cost will be greatly reduced during the life of the floor.

#### **▶ INITIAL CLEANING**

Remove loose debris after the installation of floor. Wash floor with a low speed cleaning machine (150-200 rpm) fitted with a red pad. Use neutral detergent. Ensure that all detergent residues are rinsed and removed from the floor.

#### **▶ PROTECTION**

This step also known as «metallisation», «self-shine», or «polishing», is not necessary for these treated products.

#### **▶ DAILY MAINTENANCE**

Remove dirt with a damp mop and neutral detergent. Dry sweeping is also possible. Mechanical maintenance provides better aesthetic results.

#### **▶ PERIODIC MAINTENANCE**

Clean with a high speed (450 rpm) machine fitted with a red pad or nylon brush or scrubbing machine + neutral detergent.

## ▶ **LOW MAINTENANCE PRODUCTS**

### **With PUR and PUR+ treatment:**

**Nera, Nera Contract, Classic Imperial, Univers, Architecton, GTI, GTI Max, Attraction®, Creation\*, Artline\*, Insight, Mipolam Troplan. (\*except Slate).**

PUR treatment is a protective polyurethane surface treatment applied to the product during the manufacturing process. Results : it is not necessary to seal the floor after installation. Protection is required when aesthetic and hygienic properties are judged inappropriate by maintenance staff. In the meantime, maintenance costs are reduced.

#### **▶ INITIAL CLEANING**

Remove loose debris after the installation of the floor. Wash floor with a low speed cleaning machine (150-200 rpm) fitted with a red pad. Use neutral detergent. Ensure that all detergent residues are rinsed and removed from the floor.

#### **▶ PROTECTION**

This step also known as «metallisation», «selfshine», or «polishing» is only necessary when aesthetic and hygienic properties are judged inappropriate by maintenance staff.

#### **▶ DAILY MAINTENANCE**

Remove dirt with a damp mop and neutral detergent or floor maintainer. Dry sweeping is also possible.

#### **▶ PERIODIC MAINTENANCE**

Clean with a high speed (450 rpm) machine fitted with a red pad, or nylon brush, or a scrubbing machine + neutral detergent, or floor maintainer.

## ▶ NORMAL MAINTENANCE PRODUCTS

**Non treated floorings: Tarasafe ranges (except Tarasafe Style, Tarasafe Ultra, Tarasafe Uni , Tarasafe Geo & Tarasafe Ultra Comfort).**

### ▶ INITIAL CLEANING

Remove loose debris after the installation of floor. Wash and clean off with a machine fitted with blue or green pad + stripping agent at 150-200 rpm. The brown pad is suitable for removal of heavy dirt and/or grease. Ensure that all detergent residues are rinsed and removed from the floor.

### ▶ PROTECTION

This step is also known as "metallisation", "self-shine", or "polishing". It is usual to apply 3 coats of polish to new floors, as this will impair the slip resistance, allowing one coat to dry before applying the next coat.

⚠ Do not go through this treatment with the following products: Tarasafe, Tarasafe Ultra Comfort, Tarasafe Ultra, Tarasafe Style, Tarasafe Super to keep their slip resistance properties.

### ▶ DAILY MAINTENANCE

Remove dirt with a damp mop and neutral detergent or disinfectant. Dry sweeping may be sufficient.

### ▶ PERIODIC MAINTENANCE

Clean with a high speed (450 rpm) machine fitted with a blue or red pad using a spray detergent or floor maintainer. For Tarasafe ranges, clean with a machine fitted with a blue or green pad (450 rpm) or a scrubbing machine + neutral detergent. Every year protection should be removed and reapplied.

## ▶ SPECIFIC MAINTENANCE PRODUCTS

**Static control floorings: Mipolam Robust EL7, Mipolam Accord EL7, Mipolam Technic EL5, Mipolam Elegance EL5.**

### ▶ INITIAL CLEANING

Remove loose debris after the installation of floor. Wash and clean off a machine fitted with blue pad + stripping agent (such as REMAT manufactured by WETROK) at 150-200 rpm. Ensure that all detergent residues are rinsed and removed from the floor. The green pad is suitable for removal of heavy dirt and/or grease.

### ▶ PROTECTION

This step is also known as «metallisation», «self-shine», or «polishing». Do not protect the floors in surgery rooms : only apply one coat of MEPOL HMA manufactured by WETROK or equivalent complying with electrical properties.

### ▶ DAILY MAINTENANCE

Damp mop and neutral detergent and disinfectant to remove dirt.

### ▶ PERIODIC MAINTENANCE

Clean with a high speed (450 rpm) machine fitted with a red pad or nylon brush + neutral detergent.

## ▶ STAIN REMOVAL TABLE

**Blood - Urine - Faeces:** Use diluted bleach and thoroughly rinse with water to remove all residues.

**Vinegar - Tomato - Mustard:** Add a few drops of ammonia to water, this may remove the stain.

**Rust:** Use either proprietary anti-rust treatment or oxalic acid (rinse thoroughly).

**Heavy grease - Paint - Rubber scuffs - Hair colourings - Food fats - Ball point or felt-tip pens:** Petrol. White Spirit. Scrub using an undiluted detergent, rinse thoroughly and remove all residues.

**Cigarette burns:** For calendered products : rub gently with a very fine grade sandpaper, or fine wirewool. Apply a self-shine emulsion over the entire surface.



# MAINTENANCE

		COMPANY:	W & M FRANCE PROFESSIONAL SAS	
TYPE OF PROCESS	TYPE OF PRODUCT	WEB PAGE :	www.wmprof.com	
			DYNATECH range	ULTAN range
FLOORS WITH PROTECSOL® NEVER POLYMER EMULSION OR DISPERSION	NEUTRAL CLEANING AGENT		DYNATECH CLEAN FORCE DYNATECH CLEAN FRESH	BLINK ECOLINE N°7
	ALKALINE CLEANING AGENT		DYNATECH ALKA	AZ 70 SUPER CLEANER
	CLEANING AGENT (REMOVING RUBBER-MARKS)		DYNATECH STRIPP	QUICK STRIPPER FLA 710 S LINAX PLUS
	DESINFECTANT DETERGENT		DYNATECH CLEAN BACTO	APESIN AP3
	CLEANING AGENT (HIGH TRAFFIC)		DYNATECH PHENIX	TAWIP C
	SPRAY DETERGENT		DYNATECH BACTISPRAY	TAWIP
	MOP WAX		DYNATECH DUO	AR 80 B 250
OTHER FLOORS TO PROTECT	STRIPPING	STRIPPER	DYNATECH SUPER STRIPP DYNATECH STRIPP	QUICK STRIPPER
		STRIPPER (DRY)	DYNATECH SECCO	
	BASIC LAYER	PRIMER	DYNATECH PREBASE	
	PROTECTIVE LAYER	POLYMER EMULSION POLYMER DISPERSION	DYNATECH PROTECTION DYNATECH FORCE OPTIMA DYNATECH TRIO	LOGLIFE DIAMOND
		HOSPITAL POLYMER EMULSION	DYNATECH FORCE	LOGLIFE HOSPITAL
	CLEANING OF POLYMER EMULSION	MOP WAX	DYNATECH DUO	AR 80 B 250
		SPRAY CLEANER	DYNATECH CLEAN FORCE	SUPER CLEAN
RENEWAL OF POLYMER EMULSION	SPRAY EMULSION	DYNATECH MULTISPRAY		

ECOLAB	DIVERSEY		KIEHL FRANCE
www.henkel-ecolab.com	www.johnsondiversey.com		info@kiehl.fr
	<b>JONTEC range</b>	<b>TASKI range</b>	
GLOSS EXPRESS BRIAL CALYPSO	JONTEC ASSET JONTEC 300	TASKI R 50	VERIPRO
NEOMAT A	JONTEC COMBINET JONTEC STRIDE JONTEC DEGRAISSANT	TASKI FORCE	DOPOMAT INTENSO
BENDUROL FAST NEOMAT RENOVANT	JD ATTACK PLUS	TASKI COMBITEST JD ATTACK PLUS	RAPID LI-EX COPEX
DIESIN PLUS FJORD PLUS	SPRINT DEGRAGERM SPRINT DS 5001		DESINET
	JONTEC TENSOL	TASKI TENSIO	PROCUR diluted
INDUR TOP HELOTILSTAR	JONTEC ASSET		
INDUR BRILLANT PLUS	JONTEC EXTRA JONTEC COMBINET	TASKI TOP SHINE TASKI COMBIPLUS	ARISTON
BENDUROL FAST BENDUROL FORTE	JONTEC N°1F JONTEC FUTUR	TASKI RADICAL	COPEX / POLY-EX / LI-EX
NOVASEC	JONTEC STRIPO	TASKI OMNISTRIP	COPEX / POLY-EX / LI-EX
PRESEAL KL SPIRIT SEALER	JONTEC TECHNIQUE		
ISI STAR TUKLAR SUPER METALLIC	JONTEC ETERNUM JONTEC LUNA	TASKI VISION MATT TASKI VISION SILK TASKI VISION STAR	THERMODUR
GEMSTAR LASER LODAN STAR	JONTEC ETERNUM JONTEC RESITOL	TASKI VISION MATT TASKI VISION STAR	THERMOHOSPITAL
INDUR BRILLANT PLUS	JONTEC EXTRA JONTEC COMBINET	TASKI TOP SHINE TASKI COMBIPLUS	ARISTON
INDUR F	JONTEC ASSET		PROCUR diluted
TOP SPRAY	JONTEC RESTORE	TASKI P44 (<300t/mn) TASKI OMNISPRAY	







# Gerflor®

theflooringroup



PRODUCTS



ACCESSORIES



SPM



GALLERY



VIDEO

## FIND GERFLOR ON YOUR SMART PHONE

ALL GERFLOR PRODUCTS - TECHNICAL SOLUTIONS - SPM - COLOURS IN FULL SCREEN MODE  
ASSOCIATED DOCUMENTS...



Compatible with iphone, android, iphonetouch, blackberry.....requires a connection to edge, 3g, or wifi.  
Free access except operator costs. To connect, <http://m.gerflor.com>. Or scan with the help of a mobilettag application, the code 2D or QR code here.

gerflor.com

ARCHITECTURE  
DECORATION  
SPORT  
TECHNOSPECIFIC

**ASIA:** Gerflor Asia

Tel: +852 9222 6355 - Fax: +852 3006 1449

e-mail: gerflorasia@gerflor.com

**AUSTRALIA/NEW ZEALAND:** Gerflor Australasia Pty. Ltd

Australia Tel: 1 800 060 785 - New Zealand Tel: 0 800 630 119

e-mail: gerflor@gerflor.com.au

**AUSTRIA/SWITZERLAND:** Gerflor GmbH

Tel: +43 (0)72 29/70 800-0 - Fax: +43 (0)72 29/70 800-218

e-mail: austria@gerflor.com - switzerland@gerflor.com

**BELGIUM/LUXEMBURG:** Gerflor Benelux

Tel: +32 (0)3 766 42 82 - Fax: +32 (0)3 766 29 14

e-mail: gerflorbelgium@gerflor.com

**CANADA:** Gerflor International

Tel: +1-819-812-7310

e-mail: gerflorcanada@gerflor.com

**CHINA:** Gerflor floorings (China) Co. Ltd.

Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998

e-mail: gerflorchina@gerflor.com

**FINLAND:** Gerflor Oy

Tel: +358 (0) 10 6 17 5150 - Fax: +358 (0) 10 617 5152

e-mail: info@gerflor.fi

**FRANCE:** Gerflor - Service Express:

 0 810 569 569  0 810 569 570

e-mail: contactfr@service@gerflor.com

**GERMANY:** Gerflor Mipolam GmbH

Tel: 0 22 41-25 30-0

e-mail: GerflorMipolam@Gerflor.com

Kunden-Service: kundenservice@gerflor.com

Tel: 0 22 41-25 30-131 - Fax: 0 22 41-25 30-100

SAT Service und Anwendungstechnik: Technik@Gerflor.com

Tel: 0 22 41-25 30-555 - Fax: 0 22 41-25 30-550

**IRELAND:** Gerflor Ltd

Tel: +353 (0) 42 966 1431 - Fax: +353 (0) 42 966 1759

e-mail: gerflorirl@gerflor.com

**ITALY:** Gerflor S.p.A.

Tel: +39 02 90 78 60 12 r.a. - Fax: +39 02 90 42 74 84

e-mail: gerfloritalia@gerflor.com

**LATIN AMERICA (Brazil):** Gerflor América Latina

Tel: +55 11 38 48 20 20 - Fax: +55 11 38 48 20 23

e-mail: gerflor@gerflor.com.br

**MIDDLE EAST:** Gerflor Middle East

Tel: +966 3 847 1779 - Fax: +966 3 847 1781

e-mail: gerflorME@gerflor.com

**NETHERLANDS:** Gerflor BV

Tel: +31 (0)40 266 17 00 - Fax: +31 (0)40 257 46 89

e-mail: gerflorNL@gerflor.com

**OTHER COUNTRIES:** Gerflor International

Tel: +33 (0)4 74 05 40 00 - Fax: +33 (0)4 74 05 03 13

e-mail: gerflorcontract@gerflor.com

**POLAND:** Gerflor Polska Sp z o.o

Tel: + 48 61 823 34 01 - Fax: + 48 61 823 34 33

e-mail: info@gerflor.pl

**PORTUGAL:** Gerflor Iberia, SA

Tel: +351 21 843 95 49 - Fax: +351 21 846 55 44

e-mail: gerflorportugal@gerflor.com

**RUSSIA:** Gerflor Moscow Office

Tel: + 7 499 783 63 69 / 81 - Fax: + 7 499 783 62 52

e-mail: gerflorus@mspk.east.ru

**SCANDINAVIA:** Gerflor Scandinavia a.s.

Tel: + 47 64 95 60 70 - Fax: + 47 64 95 60 80

e-mail: gerflorscand@gerflor.no

**SPAIN:** Gerflor Iberia, SA

Tel: +34 91 653 50 11 - Fax: +34 91 653 25 85

e-mail: gerfloriberia@gerflor.com

**UNITED KINGDOM:** Gerflor Ltd


Sample service: Contractuk@gerflor.com

Office Tel: + 44 (0) 1926 622 600 - Fax: + 44 (0) 1926 401 647

**USA:** Gerflor North America

Tel: 877 GERFLOR (437 3567) - Fax: 847 394 3753

e-mail: info@gerflorusa.com



FIND GERFLOR ON YOUR SMART PHONE

All Gerflor products,  
colours in full screen mode,  
associated documents  
and the My Taralay application

To connect, <http://m.gerflor.com>  
Or with the help of a «Mobiletag» application,  
scan the code 2D or «QR code» here:



Committed to sustainable development

**Gerflor**<sup>®</sup>  
theflooringgroup