

# HOUSING SOLUTIONS

[spm-international.com](http://spm-international.com)



WALL PROTECTIONS  
& HANDRAILS

**SpM**<sup>®</sup>  
wall protection

# WHO ARE WE?

---

**Specialist in wall protections and handrails for 40 years, SPM, a Gerflor Group Company, develops innovative and decorative solutions to **protect, enhance and ensure the sustainability of the walls for all your rental properties.****

Entrance lobbies, staircases, corridors, wet rooms and kitchens, all these frequently used living areas need to be pleasant and practical. You must ensure their long-term protection, while taking into account the considerable constraints involved. That is why SPM solutions offer your premises long-term protection from impacts on walls, doors and angles. They also ensure that these areas are easy to clean and maintain.

Our solutions offer you a safe, welcoming living environment that meets your hygiene and safety requirements.



**Are you planning a new build or looking to renovate an existing property?  
Are you tired of having to repaint the walls in the common areas every two years?**

SPM solutions allow you to:

- Renovate and protect common areas (entrance lobbies, corridors, lifts, doors, trash rooms, staircases, etc.) and housing units, including kitchens and wet rooms, with a quick and easy-to-install design, even in occupied areas
- Transform your social and living spaces into a pleasant and warmer environment
- **Simplify maintenance in your buildings while reducing renovation costs**



## WE OFFER SOLUTIONS THAT MEET YOUR REQUIREMENTS



### RESISTANCE

- Resistance to impacts, shocks and scratches



### LONGER SERVICE LIFE

- Increase the service life of premises
- Avoid repainting and repairing damaged areas



### EASY AND QUICK INSTALLATION

- Suitable for installation by a technician
- Limited installation-related nuisances and disturbances: installation while in use (solvent-free glue, etc.)



### MAINTENANCE

- Easy care and cleaning
- Lower maintenance costs



### ATTRACTIVE AND DECORATIVE

- Wide range of colours and decorative cutouts
- Enhancement of premises through easier maintenance



### INSTALLATION IN WET AREAS: H<sub>2</sub>O SYSTEM

- Moisture resistant
- Perfect watertightness



### INSTALLATION IN AREAS CONTAINING ASBESTOS: Safe'Cover SYSTEM

- Complies with the installation requirements in Sub-Section 4 of French asbestos regulations
- Rehabilitation while areas are in use



### HYGIENE AND DECONTAMINATION

- 100% antibacterial (reports by Nosoco.tech)
- 100% decontaminable (tests by Anios and Institut Pasteur)
- 100% watertight with the hot-welded Decochoc H<sub>2</sub>O / vinyl floor system



### CONFORMITY

- Comply the French law for public buildings



### ACCESSIBILITY


- Comply with the French interministerial circular Nr DGUHC 2007-53 dated 30/11/07



### ENVIRONMENT

- Exemplary composition (no heavy metals, PBT-free, BPA-free, very low VOC emissions, etc.)
- 100% recyclable range
- Lower environmental impact during installation and use

## EACH OF YOUR EXPECTATIONS IS MET



- According to French regulations -  
\* Information about the emission level of volatile substance in inside air, involving a toxic risk by inhalation, on a scale from A+ (very low emissions) to C (high emissions).

# WATERTIGHTNESS IN WET AREAS

## YOUR CONCERNS

- Effective watertight protection for covering walls and doors in wet rooms, such as bathrooms, toilets and kitchens
- Long-term solutions to moisture problems, leading to mould and saltpetre on walls, bacteria and unpleasant living conditions
- A fast, attractive and long-lasting solution for renovating damaged ceramic tiles with blackened joints, wall coverings damaged by water, limescale and cleaning products

## OUR SOLUTIONS

Thanks to their water-repellent and impermeability qualities, Decochoc H<sub>2</sub>O panels guarantee long-lasting protection for walls and doors in wet areas.

To ensure that the system is perfectly watertight, panels are thermowelded together and to the PVC coving using colour coordinated H<sub>2</sub>O welding rods that have been specially developed to resist water and ambient moisture.






# RENOVATION SOLUTIONS FOR WET AREAS

Decochoc H<sub>2</sub>O panels have been especially developed by our Research and Development Department to **protect walls and doors from splashed water and damage caused by moisture.**

Their surface is slightly textured with a fine and matt **Hydr'X grain** that is perfect for wet areas thanks to its water-repellent qualities that minimise the development of limescale, whilst ensuring superior resistance to scratches. Its formulation has been specifically developed to ensure optimum fusion between the panels and the coving with the H<sub>2</sub>O welding rod.

H<sub>2</sub>O panels are fast and easy to fit on **all types of substrate (plasterboard, cement, ceramic tiles, etc.)**. They are imperishable, washable, hygienic, easy to clean and extend the infrastructure's service life, whilst complying with strict budgetary constraints.




# H<sub>2</sub>O SYSTEM




The integral H<sub>2</sub>O thermowelded system between the panels and the coving ensures perfect watertightness and prevents any water ingress. The performance of the H<sub>2</sub>O system in wet areas has been approved in France by CSTB and certified in Technical Approval no. 12/19-1782\_V1. Any connections with other materials are made with a H<sub>2</sub>O silicone joint.

Thermowelding between panels




Thermowelding between panels and the floor coving

Bend into L



Bend into U



**i** A Technical Approval (ATec) is issued following a testing and assessment procedure. The Technical Approval defines:

- the area of application for the innovative product or process
- the compliance with applicable laws and regulations

It builds trust by certifying that the behaviour of the different types of materials, products, components and processes implemented is suitable for safe and long-term use.

A Technical Approval is a guarantee of quality and approves the performance of the product or system.

## FRENCH TECHNICAL APPROVAL (ATec) OR TECHNICAL ASSESSMENT (ATE<sub>x</sub>): WHAT ARE THE BENEFITS?

### FOR THE CLIENT

- Reduce the cost of latent defects insurance
- Guarantee the technical specifications of the products

### FOR THE CONTRACTOR

- Be insured when recommending products approved by building quality association

### FOR THE INSTALLATION COMPANY

- No extra insurance premiums at the worksite
- Maintain a good rating with the insurer
- Be secured to the quality of the product and its installation method

## ATec TRAINING

As part of the ATec scheme, we provide the necessary certified training for working with our solutions.

Training sessions are held at the SPM site or Gerflor Technocentre (France). Contact us for dates and availabilities.



# ASBESTOS PROBLEMS?

## BACKGROUND AND REGULATION

Ever since asbestos was banned in 1997, in France, the process of dealing with asbestos in public and private buildings has become a Public Health priority, as well as a growing concern for clients, contractors and installation companies who are determined to protect their employees while gaining a foothold in an attractive market.

French decree 2012-639 of 4 May 2012 divides activities featuring a risk of exposure to asbestos into two categories:

- SUB-SECTION 3: removal or encapsulation
- SUB-SECTION 4: Covering

*Please check your country regulation*



## SUB-SECTION 3 (SS3) & SUB-SECTION 4 (SS4)\* WHAT ARE THE DIFFERENCES?

	ACTIVITIES SUBJECT TO SUB-SECTION 3	ACTIVITIES SUBJECT TO SUB-SECTION 4
TYPE OF WORK	<ul style="list-style-type: none"> <li>• Asbestos removal</li> <li>• Encapsulation by self-levelling</li> </ul>	<ul style="list-style-type: none"> <li>• Covering of ceramic tiles and smooth surfaces</li> </ul>
REGULATORY REQUIREMENTS	<ul style="list-style-type: none"> <li>• SS3-certified company (qualification no. 1552)</li> <li>• SS3 training for employees by a certified organisation: 10 days for supervisors, 5 days for operators</li> <li>• Check that the company is insured to carry out encapsulation work</li> <li>• Mandatory dust measurements before and after installation (empty housing unit) and during installation if applicable (test or validation worksite)</li> <li>• PPE must be worn</li> <li>• An asbestos removal plan must be sent to the relevant enforcing authorities one month before</li> <li>• Tenants must be rehoused during work</li> </ul>	<ul style="list-style-type: none"> <li>• No specific certification required</li> <li>• SS4 training for employees by a certified organisation: 5 days for supervisors, 2 days for operators</li> <li>• Check the company's damage insurance cover for materials containing asbestos</li> <li>• Monitor asbestos dust according to the company's procedures</li> <li>• No need to wear full respiratory protection if installation generates less than five asbestos fibres per litre of air</li> <li>• The procedure must be sent only for the first installation to the relevant enforcing authorities:                             <ul style="list-style-type: none"> <li>- With jurisdiction for the fitter's place of residence if work &lt; 5 days</li> <li>- With jurisdiction for the worksite location if work &gt; 5 days</li> </ul> </li> <li>• Installation is permitted in occupied areas</li> </ul>
CONSEQUENCES	<ul style="list-style-type: none"> <li>• Significantly extended lead-times</li> <li>• Considerable increase in costs compared to a conventional renovation</li> </ul>	<ul style="list-style-type: none"> <li>• Conventional lead-times</li> <li>• Slight increase in costs compared to a conventional renovation</li> </ul>

\*French regulation

# Safe'Cover SYSTEM

## YOUR CONCERNS


- An approved and effective solution for renovating walls containing asbestos in occupied collective and private areas
- A simple, cost-effective, long-term and stylish solution for renovating ceramic tiles and smooth walls that have become damaged over time
- A fast, long-lasting and watertight solution for quickly getting the housing unit back on the rental market

## OUR SOLUTIONS


**Safe'Cover: these are complete, innovative and unique solutions for rooms containing asbestos, allowing activities subject to Sub-Section 4 (French regulation).** As such, they represent a simple and cost-effective solution for renovations in occupied areas. The rigid antibacterial PVC panels are scratch-resistant and cover walls containing asbestos, while concealing any defects of the support.

Dust measurements comply with French Public Health and Labour Code regulations.

## DIFFERENT SOLUTIONS ACCORDING TO THE SUPPORT:



## COVERING AND FINISHING PROFILES IN ANODISED ALUMINIUM



## FINISHING SOLUTIONS

- ■ Silicone joint / Welding rod

## TRAINING



The necessary installation and welding training is provided by our technicians at the SPM site or Gerflor Technocentre (France). Contact us for dates and availabilities.

See all our products on p. 22 and 23

**CONTRACTORS AND CARPENTERS:  
YOUR OBLIGATIONS**  
*Please check your country regulations*



**TYPE AND SUB-SECTION**  
The company is responsible for determining whether it is qualified for SS3 or SS4, depending on the type of work required.



**TRAINING**  
The company must undergo Sub-Section 4 training with an independent approved organisation offering a specific module on how to cover asbestos.



**PROCEDURE**  
Preparation of the operating procedure based on the template provided by SPM and oversight of the regulatory process for obtaining approval. The procedure is sent to the relevant enforcing authorities.



**PERSONAL PROTECTIVE EQUIPMENT**  
Definition of the PPE and CPE (personal / collective protective equipment) according to the three levels of protection.



**ASBESTOS TRASH MANAGEMENT**  
according to the client's recommendations.



**WORK EXECUTION**  
using SPM SS4-compatible covering solutions.

# SOLUTIONS FOR EVERY SPACE

---

## CORRIDORS



P.12-13



P.16-17

## KITCHENS



P.19



P.20

## CAR PARKS



P.15



P.16-17

## TRASH ROOMS



P.15



P.16-17







**BATHROOMS  
& SANITARY  
ACCOMMODATIONS**

**P.18** 

**P.21** 

**STAIRCASES &  
STAIRWELLS**

**P.14** 

**P.16-17** 

**LIFTS**

**P.15**

**ENTRANCE LOBBIES**

**P.12-13** 

**P.16-17** 

# HOUSING SOLUTIONS - SELECTION GUIDE



	WALL PROTECTION								CORNER PROTECTION					
	Linea'Punch Neo	Impact / Combo'Punch	Contact / Combo'Clad	Decochoc	Decosmic <small>INNOVATION</small>	Decowood / Decotrend	Decochoc H <sub>2</sub> O, Decowood H <sub>2</sub> O and Decotrend H <sub>2</sub> O	Decoprint	Plac'Inox	Cornea	Corneaflex	Combo'Corner	Linea'Flex	Protecta 2 / Combo'Flex
Entrance lobbies			●	●	●	●		○				●	●	○
Corridors			●	●	●	●		○				●	●	○
Stairwells			●	●	●	●		○				●	●	○
Lifts				●	●	●		○	○					
Trash rooms	●	●		●	○	○			○	●	●	●	○	○
Bathrooms & sanitary accommodations				○	○	○	●							
Kitchens				○	○	○	●		●					
Car parks														



**Safe'Cover**

	INSTALLATION		WALL PROTECTION									
	Installation / removal (SS4)	Installation (SS4) / removal (SS3)	Decochoc	Decosmic <small>INNOVATION</small>	Decowood / Decotrend	Decochoc H <sub>2</sub> O	Decowood H <sub>2</sub> O / Decotrend H <sub>2</sub> O	Decochoc H <sub>2</sub> O Grip	Decowood H <sub>2</sub> O Grip / Decotrend H <sub>2</sub> O Grip	Decoprint		
All supports			●	●	●	○	○				○	

## COLLECTIVE AREAS CONTAINING ASBESTOS (P.16-17)

All supports			●	●	●	○	○				○
--------------	--	--	---	---	---	---	---	--	--	--	---

## PRIVATE AREAS CONTAINING ASBESTOS (P.20-21)

Ceramic tiled support Wet areas			○	○	○	●	●				○
Ceramic tiled support Wet or dry areas			●	●	●	●	●				○
Smooth support Wet or dry areas				●	●			●	●		
All supports Dry areas			●	●	●	○	○				○

● SPM recommendation      ○ Other possible solutions




DOOR PROTECTION											HANDRAILS						IP*			
Decosmic corner L-bent (in line with walls)	Decowood / Decotrend corner L-bent (in line with walls)	Profil'Inox	Complete doors (2 sides)	Half-height door	Foot-height door	Half-height decorative door	Handplates	Half-height door - Inlaid signage	Bends, edges and frames	Plac'Inox	Linea'Touch - PVC sheathed	Linea'Touch - Decowood	Linea'Touch - Anodised	Escort - PVC sheathed	Escort - Decowood	Escort - Anodised	Elasto'Flex 100V	Elasto'Punch 200E	Elasto'Punch 100D	
●	●	●	●	●	●	●	●	●	●	●										
●	●		●	●	●	●	●	●	●											
●	●	●	●	●	●	●	●	●	●	●	●	○	○	●	○	○				
										●	●	○	○	●	○	○				
		●	●	●	●	●	●	●	●	●							●	●	●	
			○						○											
																	●	●	●	

\* Industrial protection

FIXING			FINISHING		
Acrylic glue	Fix&Move adhesive	Safe'Grip tape	Fin'Ceram / Fin'Stop / Fin'Angle	Fin'Color	Fin'Alu
●			●	●	●
	●		●		
●			●		
		●	●		
●			●	●	●

**i** The Safe'Cover covering solutions developed by SPM comply with the requirements of Sub-Section 4 of French asbestos regulations (SS4) concerning installation and removal. Panels are fixed using Fix&Move adhesive or Safe'Grip tape.

The solutions where panels are fixed with acrylic glue also comply with the requirements of Sub-Section 4 (SS4). Removal of the product is subject to the requirements of Sub-Section 3 (SS3).



For installation procedures, refer to the Installation Guide for Housing Solutions

# COLLECTIVE AREAS

## ENTRANCE LOBBIES - CORRIDORS

In entrance lobbies, the intensive or repeated traffic of people is a major source of significant and premature wear and tear.



### YOUR CONCERNS

- Protect these areas from deterioration
- Make maintenance easier for these frequently-used places: impact of keys, friction from bags, stains around handles, deterioration due to moves, wear and tear
- Extend the life of these infrastructures, while improving your budget
- Make these collective and meeting places more convivial and welcoming



### OUR SOLUTIONS

The solutions developed by SPM protect your premises and provide resistance to impacts and friction, while making for a welcoming environment.

#### WALL PROTECTION



**DECOCHOC**  
Protection and covering panel -  
Thickness 2 mm



**DECOSMIC**  
Protection and covering panel -  
Thickness 2 mm



**DECOWOOD /  
DECOTREND**  
Decorative protection  
and covering panel -  
Thickness 2 mm



**DECOPRINT**  
Decorative panel with customized  
digital printing -  
Thickness 1 mm



**CONTACT**  
Adhesive protection plate  
H. 350 / 200 mm -  
Thickness 2.5 mm



**COMBO'CLAD**  
Adhesive protection plate  
H. 200 / 150 mm -  
Thickness 3 mm


#### CORNER PROTECTION



**LINEA'FLEX**  
Flexible adhesive  
corner protector  
with variable angle  
endcap



**PROTECTA 2**  
Variable angle  
flexible adhesive  
corner protector



**PROFILA**  
90° adhesive  
corner  
protectors



**COMBO'LINE**  
90° adhesive  
corner  
protectors



**COMBO'FLEX**  
Variable angle  
flexible adhesive  
corner protector

#### DOOR PROTECTION



Foot-height door



Half-height door -  
straight cut



Half-height door -  
decorative cutout



Half-height door -  
inlaid signage



Handplates



Edges and frames



Decowood

Handplate

Foot-height door

Decochoc



Decochoc

Inlaid signage

Handplate

Decowood

Protecta 2


Decochoc



Profila

Profila

Decochoc



# COLLECTIVE AREAS

## STAIRCASES & STAIRWELLS

Staircases and stairwells are frequently-used areas where safety needs to be guaranteed.

### YOUR CONCERNS

- Protect these areas from deterioration
- Make movement safe within these areas (handrails)
- Make regular maintenance easier for these frequently-used places
- Extend the life of these infrastructures, whilst complying with strict budgetary constraints
- Upgrade the areas to accessibility standards and remove aggressive corners



Resistance



Conformity



Maintenance



Longer service life



Accessibility



### OUR SOLUTIONS

SPM provides innovative solutions that meet all your needs in terms of protection, signage and hygiene. The wall protection range is completed by SPM handrails. Designed by ergonomists, they are used to help with guiding and movement of people, especially in stairwells.

#### WALL PROTECTION



##### DECOCHOC

Protection and covering panel - Thickness 2 mm



##### DECOSMIC

Protection and covering panel - Thickness 2 mm



"Customise" your panel

##### DECOPRINT

Decorative panel with customized digital printing - Thickness 1 mm




##### DECOWOOD / DECOTREND

Decorative protection and covering panel - Thickness 2 mm



##### CONTACT

Adhesive protection plate H. 350 / 200 mm - Thickness 2.5 mm




##### COMBO'CLAD

Adhesive protection plate H. 200 / 150 mm - Thickness 3 mm



##### COMBO'PUNCH

Curved protection rail H. 200 / 125 / 100 mm



##### LINEA'PUNCH NEO

Flat and beveled flat protection rail H. 180 mm



##### IMPACT

Curved protection rail H. 200 / 120 / 60 mm

Inlaid signage

Decochoc



Escort Rapid'Angle



Decowood

Profil'Inox



# LIFTS, TRASH ROOMS, CAR PARKS

In collective housing, lifts, trash rooms, bike rooms and car parks must comply with certain criteria in terms of protection, signage and hygiene.

## YOUR CONCERNS

- Prevent deterioration of these areas (impact, wear and tear, friction, etc.)
- Comply with hygiene criteria
- Make regular maintenance easier for these places
- Keep these infrastructures in good condition, whilst optimising your budget
- Make long-lasting signage an integral part of these living environments




### CORNER PROTECTION



**LINEA'FLEX**  
Flexible adhesive corner protector with variable angle endcap



**PROTECTA 2**  
Variable angle flexible adhesive corner protector



**PROFILA**  
90° adhesive corner protectors



**CORNEA**  
90° corner protector with a strip on an aluminium core



**COMBO'LINE**  
90° adhesive corner protectors



**COMBO'FLEX**  
Variable angle flexible adhesive corner protector



**PROFIL'INOX**  
90° adhesive corner protectors

### HANDRAILS AND ACCESSORIES



**LINEA'TOUCH**  
Trilobed handrail



**ESCORT**  
Round handrail



**RAPID'ANGLE®**  
Rotating & variable 3D angle (80° to 180°)

### SPECIFIC PROTECTION



**ELASTO'PUNCH**  
Protection rail  
H. 100 / 200 mm



**ELASTO'FLEX**  
Variable angle corner protector

Inlaid signage

Decochoc

Impact

Elasto'Punch

Elasto'Flex

Decochoc

# COLLECTIVE AREAS

## Safe'Cover SYSTEM

### RENOVATION OF WALLS IN AREAS CONTAINING ASBESTOS ON ALL SUPPORTS

In France, asbestos is a widespread problem in constructions built before 1997 and continues to be a sensitive issue, especially in the social housing sector.

Economical and quick to install, **the Safe'Cover system is suitable for renovating asbestos walls in collective areas according to Sub-Section 4 of French asbestos regulations**: our protection and covering panels are fixed directly to the asbestos support ; optional finishing profiles are available.

Panels are removed in accordance with the requirements of Sub-Section 3 of French asbestos regulations. *Please check your country regulations*



#### BENEFITS

- **INSTALLATION ACCORDING TO SUB-SECTION 4 OF FRENCH ASBESTOS REGULATIONS**
- **RENOVATIONS WHILE AREAS ARE IN USE**
- **QUICK AND EASY TO INSTALL**

#### WALL PROTECTION



##### DECOCHOC

Protection and covering panel - Thickness 2 mm



##### DECOSMIC

Protection and covering panel - Thickness 2 mm



##### DECOWOOD / DECOTREND

Decorative protection and covering panel - Thickness 2 mm



"Customise" your panel

##### DECOPRINT

Decorative panel with customized digital printing - Thickness 1 mm

#### FIXING AND FINISHING



##### SPM ACRYLIC GLUE

Solvent-free - simple bonding  
(300 to 350 g required per m<sup>2</sup>)  
Available in 6 or 14 kg drum



##### HYBRID'FIX MASTIC

(grey colour)  
400 ml cartridge



##### H<sub>2</sub>O SILICONE JOINT

(matching colours)  
310 ml cartridge



##### H<sub>2</sub>O WELDING ROD

(matching colours)  
4 mm diameter,  
100 m roll.  
Hot fixing with a welding machine




##### FIN'COLOR

Finishing or jointing profiles in antibacterial PVC (matching colours).  
L. 3.00 m



##### FIN'ALU


Finishing or jointing profiles in anodised aluminium.  
L. 3.00 m



Anodised Fin' Ceram



Anodised Fin'Stop



Anodised Fin'Angle

##### FINISHING PROFILES

In anodised aluminium  
L. 3.00 m





Profil'Inox

Inlaid signage

Decowood



BEFORE

AFTER

Profila

Decochoc

# PRIVATE AREAS

## BATHROOMS & SANITARY ACCOMMODATIONS

In these places, which are subject to significant moisture levels and the frequent use of cleaning products, it is essential that walls are protected with effective, watertight, easy-to-clean protection.

BEFORE



### YOUR CONCERNS

- Guarantee these areas are watertight
- Comply with hygiene criteria
- Extend the life of these places, whilst complying with strict budgetary constraints
- Be able to rapidly renovate an apartment between two tenants



Installation in wet environments



Hygiene & decontamination



Maintenance



Longer service life




Quick and easy installation

### OUR SOLUTIONS

SPM solutions provide long-term protection for walls and doors, whilst ensuring perfect watertightness in wet areas with a silicone joint or welding rod. SPM provides antibacterial, resistant and 100% watertight solutions, for highly-effective protection from stains, moisture and impacts.




#### WALL PROTECTION




##### DECOCHOC H<sub>2</sub>O

Protection and covering panel for wet areas  
Thickness 1.5 mm



##### PLAC'INOX

Stainless steel protection plate  
Thickness 10/10 grade



##### DECOTREND H<sub>2</sub>O

Decorative protection and covering panel for wet areas  
Thickness 2 mm



##### DECOWOOD H<sub>2</sub>O

Decorative protection and covering panel for wet areas  
Thickness 2 mm

AFTER



# KITCHENS

Kitchen walls require long-term protection as they are subject to installation of furniture, electrical appliances and fat squatters.

## YOUR CONCERNS

- Ensure these places are kept free of moisture
- Protect walls from stains and impacts caused by household appliances
- Keep these places in good condition, whilst staying within your budget
- Be able to rapidly renovate a vacated apartment



Decochoc H<sub>2</sub>O

Decochoc H<sub>2</sub>O

Plac'Inox

Decotrend H<sub>2</sub>O

Decochoc H<sub>2</sub>O with bend



AFTER

Decochoc H<sub>2</sub>O



# PRIVATE AREAS


## Safe'Cover SYSTEM

### COVERING CERAMIC TILES IN WET AREAS CONTAINING ASBESTOS



For wet environments containing asbestos, such as bathrooms, kitchens and sanitary accommodations, SPM has developed a simple, long-lasting and aesthetic solution for renovating ceramic tiled surfaces that have been damaged over time. Using the Fix&Move adhesive, the H<sub>2</sub>O protection and covering panels for wet areas, with their proven water-repellent and impermeability qualities, can easily be fitted and replaced according to the requirements of Sub-Section 4 of French asbestos regulations. *Please check your country regulations.*

Anodised aluminium finishing profiles are fixed with Hybrid'Fix mastic and a SPM silicone joint to ensure a long-lasting waterproof finish.




### WALL PROTECTION



DECOCHOC H<sub>2</sub>O

Protection and covering panel for wet areas  
Thickness 1.5 mm




DECOTREND H<sub>2</sub>O

Decorative protection and covering panel for wet areas  
Thickness 2 mm



DECOWOOD H<sub>2</sub>O

Decorative protection and covering panel for wet areas  
Thickness 2 mm



### FIXING AND FINISHING



FIX&MOVE ADHESIVE

For fixing H<sub>2</sub>O panels to ceramic tiles surfaces  
50 m tiled



HYBRID'FIX SEALANT

(grey colour)  
400 ml cartridge



H<sub>2</sub>O SILICONE JOINT

(matching colours)  
310 ml cartridge



PLAC'INOX

Brushed stainless steel protection plate. To improve safety in areas exposed to the heat of cooktops or gas stoves in kitchens. Refer to the Installation Guide.

- INSTALLATION AND REMOVAL ACCORDING TO SUB-SECTION 4 OF FRENCH ASBESTOS REGULATIONS
- RENOVATIONS WHILE AREAS ARE IN USE

- INSPECTABLE SYSTEM
- POSSIBILITY OF CHANGING THE DECOR



# Safe'Cover SYSTEM

## COVERING SMOOTH SUPPORTS IN WET OR DRY AREAS CONTAINING ASBESTOS

For wet or dry areas containing smooth supports and asbestos, SPM has developed an innovative, unique and watertight covering solution that can be fitted in accordance with Sub-Section 4 of French asbestos regulations. *Please check your country regulations.*

The Decochoc H<sub>2</sub>O Grip and Decowood/Decotrend H<sub>2</sub>O Grip protection and covering panels with their textile backing can easily be fitted and repositioned using the Safe'Grip self-gripping tape.

Anodised aluminium finishing profiles are fixed with Hybrid'Fix mastic and a SPM silicone joint to ensure a long-lasting waterproof finish.

**BEFORE**

**AFTER**

Fin'Stop

Decowood H<sub>2</sub>O Grip

H<sub>2</sub>O colours

// 5 standard colours

- 0002 Gravel
- 0014 Cinnamon
- 0016 Glacier
- 1102 Spume
- 0011 Pebble

// 7 colours on request\*

- 0003 Clay
- 0009 Sienna
- 0008 Sand
- 0021 Straw
- 0029 Garnet
- 0018 Azure
- 0023 Meadow

---

// 1 standard decor

- 0050 Brushed aluminium

// 3 decors on request\*

- 0053 Medium concrete
- 0059 Brown cedar
- 0068 Smoky cedar

\*with a minimum order quantity

### WALL PROTECTION

**DECOCHOC H<sub>2</sub>O GRIP**


Protection and covering panel with a textile backing  
Thickness 2 mm

**DECOTREND H<sub>2</sub>O GRIP**

Decorative protection and covering panel with a textile backing  
Thickness 2.5 mm

**DECOWOOD H<sub>2</sub>O GRIP**

Decorative protection and covering panel with a textile backing  
Thickness 2.5 mm



**H<sub>2</sub>O WELDING ROD**

(matching colours)  
4 mm diameter,  
100 m roll  
Hot fixing with a welding machine

**SAFE'GRIP SELF-GRIPPING TAPE**

Stick on a smooth support for fixing H<sub>2</sub>O Grip panels with a textile backing  
25 m roll


**FINISHING PROFILES**  
In anodised aluminium - L. 3.00 m

Anodised Fin'Ceram      Anodised Fin'Stop      Anodised Fin'angle

# COLOUR CHART

SPM offers a palette of colours, developed with its partners, architects, interior designers, users, etc. to inspire the creation of authentic and distinctive spaces.


## NATURAL




## COLOUR




## DECOWOOD



## DECOTREND



## DECOSMIC



# PRODUCT SELECTION

## WALL PROTECTION




**DECOCHOC**  
Protection and covering panel  
3 m x 1.30 m  
Thickness 2 mm  
*Available in 33 colours*



**DECOTREND H<sub>2</sub>O**  
**DECOWOOD H<sub>2</sub>O**  
**DECOCHOC H<sub>2</sub>O\***  
Protection panels for wet areas  
2.50 m x 1.30 m  
Thickness 2 mm /  
\*Thickness 1.5 mm  
*Available in 5 colours and 1 decor (+ 7 colours and 3 decors on request)*



**FIN'COLOR**  
Finishing or jointing profiles in antibacterial PVC (matching colours).  
L. 3.00 m



**DECOSMIC**  
Protection and covering panel  
3 m x 1.30 m  
Thickness 2 mm  
*Available in 3 metallic colours*



**DECOTREND / DECOWOOD**  
Decorative protection and covering panel  
3 m x 1.30 m  
Thickness 2 mm  
*Available in 7 wood effect decors and 4 trend decors*



**PLAC'INOX**  
Made-to-measure protection plate  
Max. H 1.25 m / L 2.50 m  
Thickness 10/10 grade  
*Brushed finish*




**DECOPRINT**  
Decorative panel with customized digital printing  
Max. 2.90 m x 1.20 m  
Thickness 1 mm

## FINISHING PROFILES



**FIN'CERAM**  
in anodised aluminium.  
L. 3.00 m



**FIN'STOP**  
in anodised aluminium.  
L. 3.00 m



**FIN'ANGLE**  
in anodised aluminium.  
L. 3.00 m



**LINEA'PUNCH NEO**  
Protection rail  
H. 180 mm  
*Available in 31 colours*



**IMPACT**  
Protection rail  
H. 200/120/60\* mm  
*Available in 31 colours (\*5 colours)*



**CONTACT**  
Adhesive protection plate  
H. 350\*\* / 200 mm  
*Available in 31 colours (\*\*15 colours)*



**COMBO'PUNCH**  
Protection rail  
H 200 / 125 / 100 mm  
*Available in 4 colours*



**COMBO'CLAD**  
Adhesive protection plate  
H 200 / 150 mm  
*Available in 4 colours*

## DOOR PROTECTION


In infrastructures open to the public, doors are subjected to harsh treatment. SPM has developed a range of protection panels and handplates. Available cut or bent in L or U shapes, they are designed to fit all frames.



Half-height door - straight cut



Foot-height door



Handplate




Half-height door - decorative cutout



Half-height door - inlaid signage



Edges and frames



Easy waterproofing

## CORNER PROTECTION

### ADHESIVE CORNER PROTECTORS



**LINEA'FLEX**  
80° to 150° flexible adhesive corner protector with variable-angle endcap

Available in 33 colours



**PROTECTA 2**  
70° to 135° flexible adhesive corner protector with strip

Available in 33 colours



**PROFILA 50 AND 30**  
90° adhesive finishing corner protectors

Available in 33 colours



**PROFIL'INOX 50 AND 30**  
90° adhesive corner protectors in brushed stainless steel  
Height 2.50 m

Brushed finish



**COMBO'LINE 75, 50 AND 25**  
90° adhesive corner protectors

Available in 4 colours



**COMBO'FLEX**  
Variable angle flexible adhesive corner protector

Available in 4 colours

### CORNER PROTECTORS ON AN ALUMINIUM CORE



**CORNEA**  
90° corner protector with strip on aluminium core

Available in 31 colours



**CORNEAFLEX**  
135° or variable-angle corner protector with strip on aluminium core

Available in 5 colours



**COMBO'CORNER**  
90° corner protectors on aluminium core

Available in 4 colours

## HANDRAILS

**LINEA'TOUCH**  
Trilobed handrail in refined or reinforced versions  
width 40 mm



**ESCORT**  
Round 40 mm diameter handrail



**PVC SHEATHED**  
Available in 31 colours



**PVC SHEATHED**  
Available in 31 colours



**DECOWOOD**  
Available in 6 wood effect decors



**DECOWOOD**  
Available in 6 wood effect decors



**ANODISED**  
Available in anodised silver



**ANODISED**  
Available in anodised silver

## ACCESSORIES

**RAPID'ANGLE®:**  
Rotating & variable 3D angle [80° to 180°]

**PATENTED**



For ESCORT



For LINEA'TOUCH

## SPECIFIC PROTECTION



**ELASTO'FLEX 100V**  
45° to 135° variable angle corner protector

Available in 1 colour



**ELASTO'PUNCH 200E AND 100D**  
Protection rail, H. 200/100 mm

Available in 1 colour

spm-international.com

**PANELS  
HANDRAILS  
PROTECTION RAILS  
CORNER PROTECTION**

**ASIA:** Gerflor Asia

Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998  
e-mail: gerflorasia@gerflor.com

**AUSTRALIA/NEW ZEALAND:** Gerflor Australasia Pty. Ltd

Australia Tel: 1 800 060 785 - New Zealand Tel: 0 800 630 119  
e-mail: gerflor@gerflor.com.au

**AUSTRIA/SWITZERLAND:** Webamed-Spm GmbH

Tel: +49 2351 954550 - Fax: +49 2351 954580  
e-mail: info@webamed-spm.de - webamed-spm.de

**BELGIUM/LUXEMBURG:** Gerflor Benelux

Tel: +32 (0)3 766 42 82 - Fax: +32 (0)3 766 29 14  
e-mail: gerflorbel@gerflor.com

**CANADA:** Gerflor International

Tel: +1 438 333 0752 - Fax: +1 438 380 5425  
e-mail: gerflorcanada@gerflor.com

**CHINA:** Gerflor floorings (China) Co. Ltd.

Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998  
e-mail: gerflorchina@gerflor.com

**FINLAND:** Gerflor Oy

Tel: +358 (0) 10 6 17 5150 - Fax: +358 (0) 10 617 5152  
e-mail: info@gerflor.fi

**FRANCE:** SPM International

Tel: +33 (0)5 34 39 41 00 - Fax: +33 (0)5 34 39 40 10  
e-mail: export@spm.fr

**GERMANY:** Webamed-Spm GmbH

Tel: +49 2351 954550 - Fax: +49 2351 954580  
e-mail: info@webamed-spm.de - webamed-spm.de

**ITALY:** Gerflor S.p.A.

Tel: +39 02 90 40 10 - Fax: +39 02 90 42 74 84  
e-mail: gerfloritalia@gerflor.com

**LATIN AMERICA (Brazil):** Gerflor América Latina

Tel: +55 11 38 48 20 20  
e-mail: gerflor@gerflor.com.br

**MIDDLE EAST:** Gerflor Middle East

Tel: +966 13 847 1779 - Fax: +966 13 847 1781  
e-mail: info@gerflorme.com

**NETHERLANDS:** Gerflor Benelux

Tel: +31 (0)40 266 17 00 - Fax: +31 (0)40 257 46 89  
e-mail: gerflornl@gerflor.com

**OTHER COUNTRIES:** SPM International

Tel: +33 (0)5 34 39 41 00 - Fax: +33 (0)5 34 39 40 10  
e-mail: export@spm.fr

**POLAND:** Gerflor Polska Sp z o.o

Tel: +48 61 823 34 01 - Fax: +48 61 823 34 33  
e-mail: info@gerflor.pl

**PORTUGAL:** Gerflor Iberia, SA

Tel: +351 21 843 95 49 - Fax: +351 21 846 55 44  
e-mail: gerflorportugal@gerflor.com

**RUSSIA:** Gerflor zao

Tel./Fax: +7 495 785 23 71  
e-mail: gerflorrussia@gerflor.ru

**SCANDINAVIA:** Gerflor Scandinavia a.s.

Tel: +47 64 95 60 70 - Fax: +47 64 95 60 80  
e-mail: gerflorscand@gerflor.no

**SPAIN:** Gerflor Iberia, SA

Tel: +34 91 653 50 11 - Fax: +34 91 653 25 85  
e-mail: gerfloriberia@gerflor.com

**USA:** Gerflor North America

Tel: 877 GERFLOR (437 3567) - Fax: 847 394 3753  
e-mail: info@gerflorusa.com



Committed to sustainable development

A company of **Gerflor**

**Spm**<sup>®</sup>  
wall protection